Certificate of Analysis



Human Digestive System MTC™ Panel

 Catalog No(s).
 Amount
 Lot Number

 636746
 10 rxns
 1408485A

Description

Panel of normalized, first strand cDNA preparations from RNA from the tissues/cells listed on the back of this page. The cDNAs included in MTC Panels can be used as templates for PCR using gene-specific primers to study tissue expression patterns. Each cDNA preparation is sufficient for 10 PCR amplifications. G3PDH PCR Primers and Control cDNA are included for 10 positive control reactions.

Package Contents

- 50 µl First-strand cDNA from each of the tissues/cells specified on the back of this page.
- 50 μl Human Control cDNA
- 40 μl G3PDH Control 5' & 3' PCR Primers (10 μM each)

Storage Conditions

Store at −20°C

Shelf Life

• 1 year from date of receipt under proper storage conditions.

Shipping Conditions

• Dry ice (-70°C)

Number of Samples

• 12

Concentration

~1.0 ng/µl

Normalization

The following genes were used to normalize the concentration of the cDNA samples:

alpha-tubulin beta-actin G3PDH phospholipase A2

RNA Type

(072314)

Poly A⁺ RNA

A Takara Bio Company

1290 Terra Bella Avenue, Mountain View, CA 94043, USA

U.S. Technical Support: tech@clontech.com

United Asia Pacific Europe Japan States/Canada +1.650.919.7300 +33.(0)1.3904.6880 +81.(0)77.543.6116 800.662.2566

Certificate of Analysis

Human Digestive System MTCTM Panel

RNA Source

The age and sex of tissue/cell donors are specified below. All tissue sources, as far as can be determined, are free from disease.

Product Documents

Documents for Clontech® products are available for download at www.clontech.com/manuals The following documents apply to this product:

• cDNA Panels User Manual (PT3158-1)

Quality Control Data

5 μl of each cDNA preparation, including the Control DNA, was tested in a separate 50 μl PCR amplification using the G3PDH Control Primers. After 22 cycles, a 5 μl sample of each PCR product was run on a 1.2% agarose/EtBr gel. Each reaction produced a single band of the expected size (983 bp).

Tissue or Cell Line Sources

Tissue/Cell Line	Source
colon, ascending	pooled from 5 male/female Caucasians, ages 18-50
colon, descending	pooled from 7 male/female Caucasians, ages 31-61
colon, transverse	pooled from 19 male/female Caucasians, ages 24-59
duodenum	pooled from 12 male/female Caucasians, ages 25-53
ileocecum	pooled from 19 male/female Caucasians, ages 24-59
jejunum	pooled from 7 male/female Caucasians, ages 25-59
rectum	pooled from 11 male/female Caucasians, ages 24-52
ileum	pooled from 8 male/female Caucasians, ages 18-57
cecum	pooled from 19 male/female Caucasians, ages 24-55
stomach	pooled from 7 male/female Caucasians, ages 20-55
liver	pooled from a male Caucasians, ages 35
esophagus	pooled from 18 male/female Caucasians, ages 24-58

(072314) Page 2 of 2

Notice to Purchaser



Human Digestive System MTCTM Panel

CATALOG NO.

636746

NOTICE TO PURCHASER:

Clontech products are to be used for research purposes only. They may not be used for any other purpose, including, but not limited to, use in drugs, in vitro diagnostic purposes, therapeutics, or in humans. Clontech products may not be transferred to third parties, resold, modified for resale, or used to manufacture commercial products or to provide a service to third parties without prior written approval of Clontech Laboratories, Inc.

Your use of this product is also subject to compliance with the licensing requirements listed below and described on the product's web page at http://www.clontech.com. It is your responsibility to review, understand and adhere to any restrictions imposed by these statements.

TRADEMARKS:

Clontech, the Clontech logo and MTC are trademarks of Clontech Laboratories, Inc.

All other marks are the property of their respective owners. Certain trademarks may not be registered in all jurisdictions. Clontech is a Takara Bio Company. ©2014 Clontech Laboratories, Inc. This document has been reviewed and approved by the Clontech Quality Assurance Department.

Clontech Laboratories, Inc.

A Takara Bio Company 1290 Terra Bella Avenue, Mountain View, CA 94043, USA U.S. Technical Support: tech@clontech.com

10/30/2014