

SmartChip® Probe qPCR Master Mix

Catalog	No.
640208	

Amount 48 ml Lot Number Specified on product label.

Description

SmartChip Probe qPCR Master Mix is optimized for two-color SNP probe discrimination on the SmartChip qPCR platform. The formulation has been optimized for uniform dispensation using the SmartChip MultiSample NanoDispenser, as well as reproducible PCR amplification with SmartChip consumables. This 2X master mix is sufficient for 20 SmartChip SNP genotyping experiments.

Package Contents

• 20 x SmartChip Probe qPCR Master Mix (Cat. No. 640209) >>View Components

For storage conditions, please see the Certificate of Analysis supplied with each component.

Product Documents

Documents for our products are available for download at <u>takarabio.com/manuals</u> The following documents apply to this product:

- SmartChip MyDesign Kit User Manual
- SmartChip MultiSample NanoDispenser and SmartChip Dispenser Software User Manual
- SmartChip Real-Time PCR Cycler / SmartChip qPCR Software User Manual

Notice to Purchaser

Our products are to be used for **Research Use Only**. They may not be used for any other purpose, including, but not limited to, use in humans, therapeutic or diagnostic use, or commercial use of any kind. Our products may not be transferred to third parties, resold, modified for resale, or used to manufacture commercial products or to provide a service to third parties without our prior written approval.

Your use of this product is also subject to compliance with any applicable licensing requirements described on the product's web page at takarabio.com. It is your responsibility to review, understand and adhere to any restrictions imposed by such statements.

© 2019 Takara Bio Inc. All Rights Reserved.

All trademarks are the property of Takara Bio Inc. or its affiliate(s) in the U.S. and/or other countries or their respective owners. Certain trademarks may not be registered in all jurisdictions. Additional product, intellectual property, and restricted use information is available at takarabio.com.

This document has been reviewed and approved by the Quality Department.