

Certificate of analysis

Product Name/Description: Pfu Methionine Aminopeptidase

Cat. #: 7335

Lot #: Specified on product label

Storage Conditions: -20 degrees C

Expiration Date: Specified on product label or package

Package Size: 20 mU

Package Contents: 1. Pfu Methionine Aminopeptidase 20 mU

Source: Escherichia coli carrying plasmids encoding the Pyrococcus furiosus methionine aminopeptidase gene.

Unit Definition: One unit of the enzyme is the amount that catalyzes the release of 1 μmol of Met from Met-Pro-Ala-Ala-Gly in 1

minute at pH 7.5.

Quality Control Data:

Purity test by SDS-PAGE:

This product was ≥95% homogeneous protein on SDS-PAGE.

Protease contamination test:

The protease activity was not detected when this product was incubated with SRL overnight at 37°C.

It is certified that this product meets the above specifications, as reviewed and approved by the Quality Department of Takara Bio Inc.



Notice	Ta	Purchaser:
nouce	10	rurchaser:

Please refer to the website.

Product Documents, Patent Markings, Trademarks, & Safety Information:

Refer to website for availability to download or contact your local office: www.takara-bio.co.jp (Japanese) www.takarabio.com (English)

Licence Statements:

Please visit our website and click the "license" button on the product's web page.

©2019 Takara Bio Inc. All Rights Reserved.

All trademarks are the property of Takara Bio Inc. or its affiliate(s) in the U.S. and/or other countries or their respective owners. Certain trademarks may not be registered in all jurisdictions.