

Certificate of analysis

Product Name/Description: Premix Ex TaqTM (Probe qPCR)

Cat. #: RR390A

Lot #: Specified on product label

Storage Conditions: -20 degrees C

Expiration Date: Specified on product label or package

200 Rxns Package Size:

1. Premix Ex Taq (Probe qPCR) 2X 1 ml x 5 **Package Contents:**

> 2. ROX Reference Dye 50X 200 µ1 3. ROX Reference Dye II 50X 200 μ1

Components "ROX Reference Dye" and "ROX Reference Dye II": Protect from light. Note:

Storage conditions: This product can be stored at -20°C for long-term storage. Once thawed, store at 4°C and use

within 6 months.

Quality Control Data:

PCR test:

1) Consistent amplification was observed in real-time PCR using \(\DNA \) as a template. No specific amplification was observed without template.

2) Consistent amplification was observed in real-time PCR using cDNA mixture synthesized from human testis

total RNA as a template.

Hot start test:

Inhibition of the DNA polymerase activity by antibody was confirmed by comparing the results of PCR using

reaction mixtures that had been previously heated and not heated.

It is certified that this product meets the above specifications, as reviewed and approved by the Quality Department of Takara Bio Inc.



Notice	T۸	Purchaser:

Please refer to the website.

Product Documents, Patent Markings, Trademarks, & Safety Information:

Refer to website for availability to download or contact your local office: www.takara-bio.co.jp (Japanese) www.takarabio.com (English)

Licence Statements:

Please visit our website and click the "license" button on the product's web page.

©2019 Takara Bio Inc. All Rights Reserved.

All trademarks are the property of Takara Bio Inc. or its affiliate(s) in the U.S. and/or other countries or their respective owners. Certain trademarks may not be registered in all jurisdictions.